Nanolex Car Care Matzenberg 171 66115 Saarbrücken Tel.: +49 681. 906 776 50

SAFETY DATA SHEET

NANOLEX REACTIVATING GLASS CLEANER



 Page:
 1

 Compilation date:
 02.12.2019

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: NANOLEX REACTIVATING GLASS CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

1.3. Details of the supplier of the safety data sheet

Company name: Infinitec GmbH

Matzenberg 171 Saarbrücken D-66115 Germany Tel: +4968198 800306

Email: a.neuner@infinitec-gmbh.de

1.4. Emergency telephone number

Emergency tel: Medical Emergency information in case of poisoning: Poison Information Center Mainz -

24h - Phone: +49 (0) 6131 19240 (advisory service in German or English language)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319

Most important adverse effects: Causes serious eye irritation.

2.2. Label elements

Label elements:

Hazard statements: H319: Causes serious eye irritation.Hazard pictograms: GHS07: Exclamation mark



Signal words:	Warning
Precautionary statements:	P264: Wash hands thoroughly after handling.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P337+P313: If eye irritation persists: Get medical advice/attention.
	P101: If medical advice is needed, have product container or label at hand.





NANOLEX REACTIVATING GLASS CLEANER

Page: 2

P501: Dispose of contents and container to an approved waste disposal plant.

P102: Keep out of reach of children.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PROPAN-2-OL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	1-10%
			STOT SE 3: H336	

2-BUTOXYETHANOL

203-905-0	111-76-2	-	Acute Tox. 4: H332; Acute Tox. 4: H312;	1-10%
			Acute Tox. 4: H302; Eye Irrit. 2: H319;	
			Skin Irrit. 2: H315	

KOKOSALKYL(FRAKTIONIERT)DIMETHYLAMINOXID

263-016-9	61788-90-7	-	Skin Irrit. 2: H315; Eye Dam. 1: H318;	<1%
			Aquatic Chronic 2: H411; Aquatic Acute	
			1: H400	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water.

Inhalation: Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.





NANOLEX REACTIVATING GLASS CLEANER

Page: 3

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised

personnel. Do not attempt to take action without suitable protective clothing - see section

8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters





NANOLEX REACTIVATING GLASS CLEANER

Page: 4

Hazardous ingredients:

PROPAN-2-OL

Workplace e	exposure limits:		Respirable dust		
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL	
UK	999 mg/m3	1250 mg/m3	-	-	
2-BUTOXYETHANOL					
UK	25 ppm	50 ppm	-	-	

DNEL/PNEC Values

Hazardous ingredients:

PROPAN-2-OL

Туре	Exposure	Value	Population	Effect
DNEL	Dermal	888mg/kg	Workers	Systemic
DNEL	Inhalation	500mg/kg	Workers	Systemic
PNEC	Fresh water	140,9mg/l	-	-
PNEC	Marine water	140,9mg/l	-	-
PNEC	Microorganisms in sewage treatment	2.251mg/l	-	-
PNEC	Fresh water sediments	552mg/kg	-	-
PNEC	Marine sediments	552mg/kg	-	-
PNEC	Water	160mg/kg	-	-
PNEC	Soil (agricultural)	28mg/kg	-	-

2-BUTOXYETHANOL

Inholotion			Effect
Inhalation	246 mg/m	Workers	Local
Inhalation	89 mg/kg	Workers	Systemic
Inhalation	1,091 mg/m	Workers	Systemic
Inhalation	125 mg/kg	Workers	Systemic
Inhalation	98 mg/m	Workers	Systemic
Fresh water	8,8 mg/l	-	-
Marine water	0,88 mg/l	-	-
Microorganisms in sewage treatment	463 mg/l	-	-
Soil (agricultural)	2,33 mg/kg	-	-
	Inhalation Inhalation Inhalation Fresh water Marine water Microorganisms in sewage treatment	Inhalation1,091 mg/mInhalation1,091 mg/mInhalation125 mg/kgInhalation98 mg/mFresh water8,8 mg/lMarine water0,88 mg/lMicroorganisms in sewage treatment463 mg/lSoil (agricultural)2,33 mg/kg	Inhalation1,091 mg/mWorkersInhalation1,091 mg/mWorkersInhalation125 mg/kgWorkersInhalation98 mg/mWorkersFresh water8,8 mg/l-Marine water0,88 mg/l-Microorganisms in sewage treatment463 mg/l-Soil (agricultural)2,33 mg/kg-

KOKOSALKYL(FRAKTIONIERT)DIMETHYLAMINOXID

Type Exposure Value Population Effect

Nanolex Car Care Matzenberg 171 66115 Saarbrücken Tel.: +49 681. 906 776 50



SAFETY DATA SHEET

NANOLEX REACTIVATING GLASS CLEANER

Page: 5

DNEL	Inhalation	15,5	Workers	Systemic
DNEL	Dermal	11 mg/kg	Workers	Systemic
DNEL	Inhalation	3,8	Consumers	Systemic
DNEL	Dermal	5,5 mg/kg	Consumers	Systemic
DNEL	Oral	0,44	Consumers	Systemic
PNEC	Fresh water	0,0335 mg/ml	-	-
PNEC	Marine water	0,00335 mg/ml	-	-
PNEC	Microorganisms in sewage treatment	24 mg/ml	-	-
PNEC	Fresh water sediments	1,14 mg/kg	-	-
PNEC	Marine sediments	0,114 mg/kg	-	-
PNEC	Soil (agricultural)	0,906 mg/kg	-	-
PNEC	Food chain	11,1 mg/kg	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Characteristic odour

pH: 8,1

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.





NANOLEX REACTIVATING GLASS CLEANER

Page: 6

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

2-BUTOXYETHANOL

IVN	RAT	LD50	307	mg/kg
ORL	MUS	LD50	1230	mg/kg
ORL	RAT	LD50	470	mg/kg

KOKOSALKYL(FRAKTIONIERT)DIMETHYLAMINOXID

DERMAL	RBT	LD50	300-2000	mg/kg
ORAL	RAT	LD50	2000	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be pain and redness. The eyes may water profusely. There may be severe
	pain. The vision may become blurred. May cause permanent damage.
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach
	pain may occur.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.

Nanolex Car Care Matzenberg 171 66115 Saarbrücken Tel.: +49 681. 906 776 50

cleaner faster longer www.nanolex.de

SAFETY DATA SHEET

NANOLEX REACTIVATING GLASS CLEANER

Page: 7

Section 12: Ecological information		
	12.1. Toxicity	

Hazardous ingredients:

PROPAN-2-OL

FISH 96H LC50 10.000 mg/l

KOKOSALKYL(FRAKTIONIERT)DIMETHYLAMINOXID

Daphnia magna	48H EC50	1-10	mg/l
FISH	96H LC50	1-10	mg/l
GREEN ALGA (Selenastrum capricornutum)	48H EC50	0,1-1	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.



NANOLEX REACTIVATING GLASS CLEANER



Page: 8

15.2. Chemical Safety Assessment

Chemical safety assessment:	A chemical safety assessment has not been carried out for the substance or the mixture
	by the supplier.

Section 16: Other information

Other information

Other information: T	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
2	2015/830.
*	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3: +	H225: Highly flammable liquid and vapour.
F	H302: Harmful if swallowed.
F	H312: Harmful in contact with skin.
F	H315: Causes skin irritation.
F	H318: Causes serious eye damage.
F	H319: Causes serious eye irritation.
F	H332: Harmful if inhaled.
F	H336: May cause drowsiness or dizziness.
F	H411: Toxic to aquatic life with long lasting effects.
Legal disclaimer: T	The above information is believed to be correct but does not purport to be all inclusive
а	and shall be used only as a guide. This company shall not be held liable for any
d	damage resulting from handling or from contact with the above product.